




Shandong Chik Bearing Co., Ltd.

INA 2919 thrust ball bearings



2919 Bearing 2D drawings and 3D CAD models

Bearing No. 2919

Size	95x130x25 mm
Bore Diameter	95 mm
Outer Diameter	130 mm
Width	25 mm
d	3,74 inch
d	95 mm
D	5,118 inch
D	130 mm
T	0,984 inch
T	25 mm
D ₁	95,199 mm
D ₁	3,748 inch
m	2,029 lbs / Weight
m	0,92 kg / Weight
C _a	17800 lbf / Dynamic load rating (axial)
C _a	79000 N / Dynamic load rating (axial)
C _{0a}	51000 lbf / Static load rating (axial)
C _{0a}	227000 N / Static load rating (axial)
Category	Thrust Ball Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	1.102



Shandong Chik Bearing Co., Ltd.

Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row Deep Groove Light Cross Section Grooved Race Separable 3 Piece Ball
Long Description	95MM Bore 1; 95.199MM Bore 2; 130MM Outside Diameter; 25MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 ISO P0 Precision
Inch - Metric	Metric
Category	Thrust Ball Bearings
UNSPSC	31171507
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	2919
Weight / LBS	2.029
Bore 2	3.748 Inch 95.199 Millimeter
Height	0.984 Inch 25 Millimeter
Outside Diameter	5.118 Inch 130 Millimeter
Bore 1	3.74 Inch 95 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter



Shandong Chik Bearing Co., Ltd.